

Material Specification

MultiWeave



KE FIBERTEC

AIR THE WAY YOU WANT

MATERIAL: Multi-purpose polyester material woven at KE Fibertec textile mill. The MultiWeave materials are woven in a plain weave that combined with the heavy-duty "High Tenacity fibres" creates a strong, even and wear-resistant textile surface. The MultiWeave material has been approved for clean room applications, ISO class 4 acc. to ISO 14644-1.

CONSTRUCTION: Heatset, shrinkage- and permeability-stabilized material.

Type KE-Datasheet		MW20 40	MW40 41	MW80 43	MW320 44	MW600 45	Standard
Weight (%) -/+5	g/m ²	280	277	270	230	230	EN-ISO 5077
Thickness (%) -/+10	mm	0.5	0.5	0.4	0.4	0.4	EN-ISO 12127:1997
Permeability	m ³ /m ² /h 120 Pa Tolerance (%)	20 -25/+25	40 -25/+25	80 -12,5/+12,5	320 -6/+15	600 -6/+15	EN-ISO 9237:1995
Tensile strength (%) -/+10	Warp / Weft N/50mm	>3100 / >1800	>3200/ >1700	>2800/ >1700	>2800 / >1300	>2200 / > 910	EN-ISO 13934-1
Resistance to tearing (%) -/+10	Warp/ Weft N	150 / 130	150 / 130	150 / 110	200 / 160	210 / 180	EN-ISO 13937:2
Filter class		G2*	G2*	G2*	G2*	G2	EN 779:2012
Dust holding capacity	(250/350/450 Pa) g	2/3/3*	2/3/3*	2/3/3*	2/3/3*	2/3/3	EN 779:2012
**Shrinkage in wash	(%) 40 °C	0.5	0.5	0.5	0.5	0.5	EN-ISO 5077
Operating temperature	°C	80/-45	80/-45	80/-45	80/-45	80/-45	
Spontaneous ignition temp.	°C	508	508	508	508	508	
Water absorption	[%] at 90% RH	0.4	0.4	0.4	0.4	0.4	
Electrostatic Resistance.	Ohm/cm	2 x 10 ¹⁰	2 x 10 ¹⁰	2 x 10 ¹⁰	2 x 10 ¹⁰	2 x 10 ¹⁰	DIN 54345-1
Clean room classification		Class 4	Class 4	Class 4	Class 4	Class 4	ISO-14644-1
Fire resistance		B-S1-d0 Yes	B-S1-d0 Yes	B-S1-d0 Yes	B-S1-d0 Yes	B-S1-d0 Yes	EN-13501 UL 723/NFPA 90 A
Oeko-Tex®		Approved	Approved	Approved	Approved	Approved	Standard 100
Cradle to Cradle®		N/A	N/A	N/A	N/A	N/A	

*KE measurement **Washed and dried according to KE Fibertec instructions

This document and all information thereon is the property of KE Fibertec AS. It must not be copied, imparted to a third party or used for any other purpose without the written consent of KE Fibertec AS.

June 2017



KE Fibertec AS
Industrivej Vest 21
DK-6600 Vejen

Tel +45 75 36 42 00
info@ke-fibertec.dk
www.ke-fibertec.com